

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20040193893"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 14:03
L2	1550	439/353	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 14:14
L6	0	@ad<"20030528" (application with connector) (connector near2 manag\$3) (external with location with service) (internal with location with service)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
L7	0	@ad<"20030528" (application with connector) (connector near2 manag\$3) (external with location) (internal with location with service)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
L8	2	@ad<"20030528" (application with connector) (connector near2 manag\$3) (external with location) (internal with location)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
L9	2	@ad<"20030528" (application with connector) (connector near2 manag\$5) (external with location) (internal with location)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
L10	4	@ad<"20030528" (application with connector) (connector with manag\$5) (external with location) (internal with location)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:51
L11	3	@ad<"20030528" (application with connector) (connector with manag\$5) (external with location) (manag\$5 near2 connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:52
S1	1	"10558152"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/11 15:04
S2	2732	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near3 (function or application or execut\$3)))	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:32
S3	14875	709/217	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:33
S4	1025	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near3 (function)))	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:33

S5	2	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near3 (function)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:33
S6	3	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4) near5 (function or execut\$3)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:34
S7	2	@ad<"20030528" ((locator or locat\$3) with ((obtain\$3 or identif\$4 or specify\$3) near3 (function)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:58
S8	76	@ad<"20030528" (((obtain\$3 or identif\$4 or specify\$3) near3 (function)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:59
S9	14	@ad<"20030528" (((obtain\$3 or identif\$4 or specify\$3) near3 (function)) near3 connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:59
S10	92	@ad<"20030528" (function with conver\$4 with application with result)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 11:32
S11	21	@ad<"20030528" (function with (conver\$4 near3 result) with application)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 11:32
S12	3	@ad<"20030528" (function with (conver\$4 near3 result) adj4 application)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 11:44
S13	259	@ad<"20030528" ((output\$4 or display\$3) near3 result\$3) with (conver\$4 near5 function)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:38
S14	8	@ad<"20030528" ((output\$4 or display\$3) near3 result\$3) with (conver\$4 near5 function) with application	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:38
S15	5562	@ad<"20030528" ((output\$4 or display\$3) near3 result\$3) near3 (conver\$4)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:45
S16	135	@ad<"20030528" ((output\$4 or display\$3) near3 result\$3) near3 (conver\$4) ("709"/\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:45
S17	10	@ad<"20030528" ((output\$4 or display\$3) near3 result\$3) near3 (conver\$4) ("709"/\$3) connector	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:49
S18	855	@ad<"20030528" (connector near stor\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 15:00

S19	55	@ad<"20030528" (connector near stor\$3 with terminal)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 15:01
S20	5	@ad<"20030528" (connector with application with (expir\$5 or (expiration near date)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:13
S21	404	@ad<"20030528" (connector) application with (expir\$5 or (expiration near date))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:15
S22	5	@ad<"20030528" (connector) application with (expir\$5 or (expiration near date)) (determin\$3 with (application near3 (execution or processing)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:17
S23	5	@ad<"20030528" (connector) application with (expir\$5 or (expiration near date) or (valid near3 period)) (determin\$3 with (application near3 (execution or processing)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:19
S24	8	@ad<"20030528" (connector) same application with (expir\$5 or (expiration near date) or (valid near3 period))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:19
S25	407	@ad<"20030528" (connector) application with (expir\$5 or (expiration near date) or (valid near3 period))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:20
S26	51	@ad<"20030528" (connector) application with ((expiration near date) or (valid near3 period))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:20
S27	81	@ad<"20030528" application with (expir\$5 or (expiration near date) or (valid near3 period)) (determin\$3 with (application near3 (execution or processing)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:26
S28	1	"10543589"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 17:42
S29	20	((second or another) adj connector) with (valid\$4 or authentic\$6)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:15
S30	7	((second or another) adj connector) with (valid\$4 or authentic\$6) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:16
S31	0	((second or another) adj connector) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:25

S32	7	((second or another) adj connector) ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:25
S33	1	((second or another) adj (connector or unit)) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:26
S34	1	((second or another) adj (connector or unit or decision)) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:26
S35	5	((second or another) adj (connector or unit or decision or specify\$3 or specif\$3)) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:27
S36	10	((second or another) adj3 (connector or unit or decision or specify\$3 or specif\$3)) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:27
S37	442	((second or another) adj3 (connector or unit or decision or specify\$3 or specif\$3)) ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:28
S38	620	((second or another) adj3 (connector or unit or determin\$3 or decision or specify\$3 or specif\$3)) ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:30
S39	11	((second or another) adj3 (connector or unit or determin\$3 or decision or specify\$3 or specif\$3)) same ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:30
S40	119	((second or another) adj (connector or unit or determin\$3 or decision or specify\$3 or specif\$3)) ((impossible or unable) near4 (specif\$6 or descri\$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:31
S41	0	((second or another) adj (connector or unit or determin\$3 or decision or specify\$3 or specif\$3)) ((impossible or unable) near4 (specif\$6 or descri\$5) near2 (function or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:31
S42	8	((second or another) adj3 (connector or unit or determin\$3 or decision or specify\$3 or specif\$3)) ((impossible or unable) near4 (specif\$6 or descri\$5) near2 (function or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:32
S43	1	2004/0015596 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:54

S44	2	"20040015596" @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:54
S45	0	"20040015596" (select\$3 near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:12
S46	0	"20040015596" (choos\$3 near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:12
S47	0	(television and phone) (choos\$3 near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:27
S48	85	(television and phone) (application with connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:27
S49	15	(television and phone) (application near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:27
S50	0	(television and phone) same (application near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:36
S51	6	(television and (mobile phone)) (application near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:36
S52	6293	709/218 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/24 13:08
S53	255	439/4	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/24 13:11
S54	13672	709/219	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/24 13:28
S55	13811	(obtain\$3 or determin\$3 or select\$3) with (connector) with (mobile or wireless or device or terminal or unit)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 08:25
S56	6855	(obtain\$3 or determin\$3 or select\$3) with (connector) with (mobile or wireless or device or terminal or unit) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 08:25
S57	19	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) with (connector) with (application near2 (execut \$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:27

S58	5	S56 S57	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:28
S59	9	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near3 (connector) with (application near2 (execut\$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:38
S60	27	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near3 (connector) with ((application or software) near2 (execut\$3 or function))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:40
S61	5	S56 S60	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:40
S62	27	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near3 (connector) with ((application or software) near2 (execut\$3 or function))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:05
S63	6855	(obtain\$3 or determin\$3 or select\$3) with (connector) with (mobile or wireless or device or terminal or unit) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 10:37
S64	5	S62 S63	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:37
S65	27	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near (connector) same ((application or software) near2 (execut\$3 or function))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:43
S66	11	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near (connector) same ((application or software) near2 (execut\$3 or function)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:43
S67	3	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near (connector) same ((application or software) near2 (execut\$3)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:47
S68	4	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near (connector) with((application or software) near2 (execut\$3 or process\$3 or function or indicat\$3)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:50
S69	31	(analyz\$3 or determin\$3 or specify\$3 or prob\$3 or choos\$3 or select\$3) near (connector) same ((application or software) near2 (execut\$3 or process\$3 or function or indicat\$3)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:50
S70	11	((analyz\$5 or distinguish\$3 or determin\$3 or specify\$3 or specification) near2 application) with ((choos\$3 or select\$3 or determin\$3) near2 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 11:08

S71	58	(application near execut\$3) with connector @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 12:10
S72	386646	(connector or application) with (mobile or wireless or device or terminal or unit) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S73	43	S71 S72	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S74	34917	(connector or application) with (mobile or wireless) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S75	14	S71 S74	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S76	227184	(connector or application) with locat\$3	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:13
S77	36	II4 S76	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:14
S78	112427	(connector or application) with locat\$3 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:14
S79	2	II4 S78	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:14

11/ 13/ 2009 3:17:43 PM

C:\ Documents and Settings\ rscott\ My Documents\ EAST\ Workspaces\ 10558152.wsp